

# Naming and Logic



## programming essentials with Scheme

and a three-fold  
Zen for Scheme

Find the heart  
of programming  
with the map of  
Scheme.

To follow along,  
install [Guile](#) and  
try the examples  
as you read.

“Guile is . . . the  
official extension  
language of the  
GNU project”  
[gnu.org/s/guile](http://gnu.org/s/guile)



# Contents

|           |  |           |
|-----------|--|-----------|
| <b>i</b>  | <b>Preface</b>                                       | <b>5</b>  |
| <b>ii</b> | <b>The Map of Scheme</b>                             | <b>6</b>  |
| <b>1</b>  | <b>Name a value with define</b>                      | <b>8</b>  |
| <b>2</b>  | <b>Add comments with ;</b>                           | <b>8</b>  |
| <b>3</b>  | <b>Compare numbers</b>                               | <b>9</b>  |
| <b>4</b>  | <b>Use infix in logic</b>                            | <b>10</b> |
| <b>5</b>  | <b>Use logic with true and false</b>                 | <b>11</b> |
| <b>6</b>  | <b>Use named values in logic</b>                     | <b>12</b> |
| <b>7</b>  | <b>Name the result of logic with parentheses</b>     | <b>12</b> |
| <b>8</b>  | <b>Name logic with define (</b>                      | <b>13</b> |
| <b>9</b>  | <b>Name a name with define</b>                       | <b>14</b> |
| <b>10</b> | <b>Return the value of logic</b>                     | <b>14</b> |
| <b>11</b> | <b>Name in define ( with define</b>                  | <b>15</b> |
| <b>12</b> | <b>Return a list of values with list</b>             | <b>16</b> |
| <b>13</b> | <b>Name the result of logic in one line with ()</b>  | <b>17</b> |
| <b>14</b> | <b>Name text with "</b>                              | <b>18</b> |
| <b>15</b> | <b>Take decisions with cond</b>                      | <b>19</b> |
| <b>16</b> | <b>Use fine-grained numbers with number-literals</b> | <b>20</b> |

|   |    |
|---|----|
| 17 Use exact numbers with <code>#e</code> and quotients   | 20 |
| 18 Turn exact numbers into decimals with <code>exact-&gt;inexact</code>   | 21 |
| 19 Use math with the usual operators as logic   | 22 |
| 20 Compare structural values with <code>equal?</code>   | 23 |
| 21 Apply logic to a list of values with <code>apply</code>  | 24 |
| 22 Get the arguments of named logic as list with <code>.rest</code>   | 25 |
| 23 Change the value or logic of a defined name with <code>set!</code>   | 26 |
| 24 Apply logic to each value in lists and ignoring the results with <code>for-each</code>                       | 26 |
| 25 Get the result of applying logic to each value in lists with <code>map</code>                                | 27 |
| 26 Reuse your logic with <code>let-recursion</code>   | 28 |
| 27 Import pre-defined named logic and values with <code>import</code>   | 30 |
| 28 Optimize for performance with <code>,profile</code>  | 31 |
| 29 Create nameless logic with <code>lambda</code>   | 32 |
| 30 Extend a list with <code>cons</code>   | 33 |
| 31 Mutate partially shared state with <code>list-set!</code>  | 34 |
| 32 Apply partial procedures with <code>srfi :26 cut</code>  | 35 |
| 33 Get and resolve names used in code with <code>quote</code> , <code>eval</code> , and <code>module-ref</code> | 36 |
| 34 Use <code>r7rs</code> datatypes, e.g. with <code>vector-map</code>   | 38 |

|   |           |
|---|-----------|
| <b>35 Name structured values with <code>define-record-type</code></b>             | <b>39</b> |
| <b>36 Create your own modules with <code>define-module</code></b>                 | <b>40</b> |
| <b>37 Handle errors using <code>with-exception-handler</code></b>                 | <b>41</b> |
| <b>38 Debug with backtraces</b>   | <b>42</b> |
| <b>39 Test your code with <code>srfi 64</code></b>                                | <b>43</b> |
| <b>40 Define derived logic structures with <code>define-syntax-rule</code></b>    | <b>44</b> |
| <b>41 Build value-lists with <code>quasiquote</code> and <code>unquote</code></b> | <b>46</b> |
| <b>42 Merge lists with <code>append</code> or <code>unquote-splicing</code></b>   | <b>48</b> |
| <b>43 Document procedures with <code>docstrings</code></b>                        | <b>49</b> |
| <b>44 Read the docs</b>   | <b>50</b> |
| <b>45 Create a manual with <code>texinfo</code></b>                               | <b>51</b> |
| <b>46 Track changes with a version tracking system like<br/>Mercurial or Git</b>  | <b>53</b> |
| <b>47 Package with <code>autoconf</code> and <code>automake</code></b>            | <b>54</b> |
| 47.1 Init a project with <code>hall</code> . . . . .                              | 58        |
| <b>48 Deploy a project to users</b>   | <b>59</b> |

## i Preface

**Why this book?** Providing a concise start, a no-frills, opinionated intro to programming from first `define` to deploying an application on just 64 pages.

**Who is it for?** You are a newcomer and want to **learn by trying code examples**? You know programming and want a **running start** into Scheme? You want to see how little suffices with Scheme's practical minimalism? Then this book is for you.

**What is Scheme?** Scheme is a programming language — a Lisp — that follows the principle *“design not by piling feature on top of feature, but by removing the weaknesses and restrictions that make additional features appear necessary”*.

This book uses Guile Scheme, the official extension language of the GNU project but is no official product of the FSF or GNU, nor endorsed by them. GNU is a trademark of the Free Software Foundation. You can find Guile on [gnu.org/s/guile](http://gnu.org/s/guile) and the FSF on [fsf.org](http://fsf.org).

**How to get Guile?** Download and install Guile from the website [www.gnu.org/software/guile](http://www.gnu.org/software/guile) — then open the REPL by executing `guile` in the terminal. The REPL is where you type and try code interactively. Some name it `guile3.0`. This text assumes GNU Linux.

Text, Design, and Publishing: Arne Babenhauserheide,  
Karlsruher Str. 85,  
76676 Graben-Neudorf  
[arne\\_bab@web.de](mailto:arne_bab@web.de)


License: Creative Commons: [Attribution - Sharealike](#).


Code examples also under any Free Software license.

Production: epubli – ein Service der neopubli GmbH,  
Köpenicker Straße 154a, 10997 Berlin

Contact according to EU product safety regulation:  
[produktsicherheit@epubli.com](mailto:produktsicherheit@epubli.com)

## ii The Map of Scheme





## 1 Name a value with `define`

Use `(define ...)` to name a value. Return the last name.

---

```
(define small-tree-height-meters 3)
(define large-tree-height-meters 5)
small-tree-height-meters
```

---

After typing this into the Guile REPL, **hit enter**. You should see

```
$1 = 3
```

This means: the first returned value (`$1`) is 3. The next time you return a value, it will be called `$2`.

Names can contain any letter except for (white-)space, quote, comma or parentheses. They must not be numbers.

---

```
(define illegal name 1)
(define 'illegal-name 2)
(define ,illegal-name 3)
(define illegal)name 4)
(define 1113841 5)
```

---

## 2 Add comments with ;

---

```
(define birch-height/m 3)
;; this is a comment
(define height ; comment at the end
  ;; comment between lines
  5)
```

---

It is common to use `;;` instead of `;`, but not required.

A comment goes from the first `;` to the end of the line.

### 3 Compare numbers

---

```
(= 3 3)
```

---

```
#t
```

---

```
(= 3 5)
```

---

```
#f
```

#t means true, #f means false. Parentheses return the *result* of logic. The logic comes first. This is clear for `=`, but easy to misread for `<`.

---

```
(< 3 5) ;; is 3 smaller than 5? #true
```

---

```
#t
```

---

```
(> 5 3) ;; is 5 bigger than 3? #true
```

---

```
#t
```

---

```
(> 3 3) ;; is 3 bigger than 3? #false
```

---

```
#f
```

---

```
(>= 3 3) ;; is 3 bigger than or equal to 3? #true
```

---

```
#t
```

---

```
(<= 3 3) ;; is 3 smaller than or equal to 3? #true
```

---

```
#t
```

## 4 Use infix in logic

Prefix comparisons can be hard to grasp when used to math. Guile provides the keyword `#!curly-infix` to enable infix math between curly braces: `{...}`.

---

```
#!curly-infix
{3 < 5}
```

---

`#t`

Infix logic directly gives a value. To use it, you must put `#!curly-infix` somewhere in your code before you use the first curly braces (`{...}`).

You can only use curly braces for infix operations.

Because infix-logic gives a value, you can use it in place of a value, for example to nest it:

---

```
#!curly-infix
{{5 < 3} equal? #f}
```

---

`#t`

Or to name its value:

---

```
#!curly-infix
(define is-math-sane? {3 < 5})
is-math-sane?
```

---

`#t`

By convention, names with the value `true` or `false` have the suffix `?`.

## 5 Use logic with true and false

---

(and #t #t)

---

#t

(and #f #t)

---

#f

(or #f #t)

---

#t

(or #f #f)

---

#f

If any value passed to `and` is `#f` (`#false`), it ignores further values.

If any value passed to `or` is not `#f` (not `#false`), it ignores further values.

---

```
#!curly-infix
(and #t #t #t) ;; => #true
(and #t #f #t) ;; => #false
(and {3 < 5} {5 < 3}) ;; => #false
(or #t #f #t) ;; => true
(or {3 < 5} {5 < 3}) ;; => #true
(or #f #f #f) ;; => #false
```

---

For `and` and `or`, everything is `#true` (`#t`) except for `#false` (`#f`). Given the number of hard to trace errors in other languages that turn up in production, this is the only sane policy.

## 6 Use named values in logic

---

```
#!curly-infix
(define small-tree-height/m 3)
(define large-tree-height/m 5)
{small-tree-height/m < large-tree-height/m}
```

---

#t

## 7 Name the result of logic with parentheses

---

```
#!curly-infix
(define birch-h/m 3)
(define chestnut-h/m 5)
(define same-height?
  (= birch-h/m chestnut-h/m))
(define smaller?
  {birch-h/m < chestnut-h/m}) ;; infix
smaller?
```

---

#t

The infix directly returns its value. Here this value is then named `smaller?`.



## 8 Name logic with define (

---

```
(define (same-height? tree-height-a tree-height-b)
  (= tree-height-a tree-height-b))
(same-height? 3 3)
```

---

#t

The first word is the name of the logic. The others are the arguments the logic operates on.

By convention, logic that returns true or false has the suffix ?.

You can now use your named logic like all other logic. Even with infix.

---

```
#!curly-infix
(define (same-height? tree-height-a tree-height-b)
  (= tree-height-a tree-height-b))
{3 same-height? 3}
```

---

#t

What this map of Scheme calls *named logic* is commonly called **function** or **procedure**. We'll stick with *logic* for the sake of a leaner conceptual mapping.

The indented lines with the logic named here are called the **body**. The body of named logic can have multiple lines. Only the value of the last is returned.

---

```
(define (unused-comp value)
  (= 2 value) ; not returned
  (= 3 value)) ; returned
```

---

## 9 Name a name with `define`

---

```
(define small-tree-height-meters 3)
(define height
  small-tree-height-meters)
height
```

---

3

After you name a name, the new name holds the same value as the original name.

## 10 Return the value of logic

---

```
#!curly-infix
(define (larger-than-4? size)
  {size > 4})
larger-than-4?
```

---

#<procedure larger-than-4? (size)>

The value of logic defined with `define` ( is a `procedure` — often called `proc` for brevity. You can see the arguments in the output: If you call it with too few or too many arguments, you get errors.

There are other kinds of logic: syntax rules and reader-macros. We will cover syntax rules later. New reader macros are rarely needed; using `{...}` for infix math is a reader macro activated with `#!curly-infix`.

## 11 Name in define ( with define

---

```
#!curly-infix
(define birch-h/m 3)
(define (birch-is-small)
  (define reference-h/m 4)
  {birch-h/m < reference-h/m})
(birch-is-small)
```

---

#t

Only the last part of the body of `define` ( is returned.

A calculation inside parentheses or curly braces is executed in-place, so when it is the last element, its result value is returned.

Zen for Scheme

### A Zen for Scheme part 1: Birds Eye

- RR** Remove limitations to Reduce the feature-count you need, *but OM: Optimizability Matters.*
- FI** Freedom for Implementations and from Implementations, *but CM: Community Matters: Join the one you choose.*
- SL** Mind the Small systems!  
And the Large systems!
- ES** Errors should never pass silently,  
*unless speed is set higher than safety.*

*Thanks for the error-handling principle goes to John Cowan.*

## 12 Return a list of values with list

---

```
(define known-heights
  (list 3 3.75 5 100))
(list (list 3 5)
  known-heights)
```

---

```
((3 5) (3 3.75 5 100))
```

You can put values on their own lines. Different from `define` (, `list` keeps all values, not just the last.

---

```
(define known-heights-2
  (list 3
    3.75 5
    100)) ;; list keeps all numbers
(define known-heights-3
  (list
    3
    3.75
    5
    100))
(define (last-height)
  3 3.75 5 100) ;; (define (...) ...) only returns the
  ↵ last
(= 100 (last-height))
```

---

#t

## 13 Name the result of logic in one line with ()

---

```
(define birch-h/m 3)
(define chestnut-h/m 5)

(define same-height? (= birch-h/m chestnut-h/m))
same-height?
```

---

#f

This is consistent with infix-math and uniform with defining logic:

---

```
#!curly-infix
(define birch-h/m 3)
(define chestnut-h/m 5)

(define same-height? {birch-h/m = chestnut-h/m})

(define (same? tree-height-a tree-height-b)
  (= tree-height-a tree-height-b))
(define same2? (same? birch-h/m chestnut-h/m))
(list same-height? same2?)

'(#f #f)
```

---

## 14 Name text with "

---

```
(define tree-description "large tree")
(define footer "In Love,
Arne")
(define greeting
  "Hello")
(display footer)
```

---

In Love,

Arne

Like { }, text (called **string** as in “string of characters”) is its value.

Text can span multiple lines. Linebreaks in text do not affect the meaning of code.

You can use \n to add a line break within text without having a visual line break. The backslash (\) is the escape character and \n represents a line break. To type a real \ within quotes ( " ), you must escape it as \\.

With **display** you can show text as it will look in an editor.

Text is stronger than comments, unless it is inside a comment:

---

```
(define with-comment ;; belongs to coment
  ;; comment "quotes inside comment"
  "Hello ;; part of the text. Backslash: \\")
with-comment
```

---

Hello ;; part of the text. Backslash: \

## 15 Take decisions with cond

---

```
#!curly-infix
(define chestnut-h/m 5)
(define tree-description
  (cond
    ({chestnut-h/m > 4}
     "large tree")
    ((= 4 chestnut-h/m)
     "four meter tree")
    (else
     "small tree")))
tree-description
```

---

large tree

cond checks its clauses one by one and uses the first with *value* #true.

To cond, every valid value is #true (#t) except for #false (#f).

To use named logic, enclose it in parentheses to check its *value*.

In cond, else is #true, too.

```
#!curly-infix
(list
  (cond
    (5 #t)
    (else ;; else is #true in cond
     #f))
  (cond (#f #f)
        (else #t)))
  (cond
    ({3 < 5} #t)
    (else #f)))
  '(#t #t #t))
```

---

## 16 Use fine-grained numbers with number-literals

---

```
(define more-precise-height 5.32517)
(define 100-meters 1e2)
(list more-precise-height
      100-meters)
```

---

```
(5.32517 100.0)
```

These are floating point numbers. They store approximate values in 64 bit binary, depending on the platform. Read all the details in the Guile Reference manual [Real and Rational Numbers](#), the [r5rs numbers](#), and [IEEE 754](#).<sup>1</sup>

## 17 Use exact numbers with #e and quotients

---

```
(define exactly-1/5 #e0.2)
(define exactly-1/5-too 1/5)
(list exactly-1/5
      exactly-1/5-too)
```

---

```
(1/5 1/5)
```

Guile computations with exact numbers stay reasonably fast even for unreasonably large or small numbers.

---

<sup>1</sup> All links are listed on page [64](#).

## 18 Turn exact numbers into decimals with exact->inexact

---

```
(list (exact->inexact #e0.2)
      (exact->inexact 1/5)
      (exact->inexact 2e7))
```

---

(0.2 0.2 2.0e7)

The inverse is `inexact->exact`:

---

```
(inexact->exact 0.5)
```

---

1/2

Note that a regular 0.2 need not be exactly 1/5, because floating point numbers do not have exact representation for that. You'll need `#e` to have precise 0.2.

---

```
(list (inexact->exact 0.2)
      #e0.2)
```

---

(3602879701896397/18014398509481984 1/5)

By convention, `procs` that convert data type `a` into data type `b` are named `a->b`.

## 19 Use math with the usual operators as logic

---

```
(define one-hundred
  (* 10 10))
(define half-hundred (/ one-hundred 2))
half-hundred
```

---

50

Remember that names cannot be valid numbers!

---

```
(define 100 ; error!
  (* 10 10))
```

---

```
ice-9/boot-9.scm:1685:16: In procedure raise-exception:
Syntax error:
unknown location: source expression failed to match any
→ pattern in form (define 100 (* 10 10))
```

```
Entering a new prompt. Type ` ,bt' for a backtrace or
→ ` ,q' to continue.
scheme@(guile-user) [1]>
```

---

Using infix via curly braces {} is useful for math:

---

```
#!curly-infix
(define one-hundred {10 * 10})
(define half-hundred {one-hundred / 2})
half-hundred
```

---

50

## 20 Compare structural values with equal?

```
(define known-heights
  (list 3 3.75 5 100))
(define known-heights-2
  (list 3
    3.75 5
    100))
(define known-heights-3
  (list 3 3.75
    5 100))
(equal? known-heights known-heights-2 known-heights-3)
```

#t

`equal?` compares whether all values it receives are equal. For structural values like lists, being equal means that all contained elements have equal value and are in the same order.

Like `=` and `+`, `equal?` can be used on arbitrary numbers of values.

Zen for Scheme

### A Zen for Scheme part 2: On the Ground

**HA** Hygiene reduces Anxiety,  
*except where it blocks your path.*

**PP** Practicality beats Purity,  
*except where it leads into a dead end.*

**3P** 3 Pillars of improvement:  
Experimentation, Implementation, Standardization.

## 21 Apply logic to a list of values with apply

---

```
(apply = (list 3 3))
```

---

#t

---

```
(equal?
 (= 3 3)
 (apply = (list 3 3)))
```

---

#t

Only the last argument of apply is treated as list, so you can give initial arguments:

---

```
(define a 1)
(define b 1)
(apply = a b
 (list 1 1)) ;; becomes (= a b 1 1)
```

---

#t

---

```
(define zero-to-nine (iota 10)) ;; numbers from 0 to 9
(apply + zero-to-nine) ;; sums the numbers
```

---

45

Using `apply proc a (list b c)` gives the same result as calling `proc` with the arguments `a b c`. In the examples, `proc` is `=` or `+`.

## 22 Get the arguments of named logic as list with . rest

---

```
(define (same? heights) ;; accepts a list
  (apply = heights))
(define (same2? . heights) ;; accepts multiple arguments
  (apply = heights))
(list (same? (list 1 1 1))
      (same2? 1 1 1))

'(#t #t)
```

---

These are often called **rest**. Getting them is not for efficiency but to improve programming interfaces (APIs). The list creation happens implicitly. You can mix regular arguments and **rest** arguments:

---

```
(define (same? alice bob . rest)
  (display (list alice bob rest))
  (newline)
  (apply = alice bob rest))
(display (same? 1 1 1 1)) ;; 4 arguments, the last 2 are
↪ rest

(1 1 (1 1))
#t
```

---

Remember that **apply** uses only the last of its arguments as list, in symmetry with **. rest**.

## 23 Change the value or logic of a defined name with set!

---

```
(define birch-h/m 3)
(set! birch-h/m 3.74) ; set to a value
(display birch-h/m)(newline) ; (newline) is linebreak
(set! birch-h/m =) ; set to logic
(display birch-h/m)(newline)
```

---

3.74

#<procedure = (#:optional \_ \_ . \_)>

It is customary to suffix named logic that changes values of existing names with !.

Since logic can cause changes to names and not just return a result, it is not called **function**, but **procedure**; **proc** for brevity.

## 24 Apply logic to each value in lists and ignoring the results with for-each

---

```
#!curly-infix
(define birch-h/m 3)
(define has-birch-height #f)
(define (set-true-if-birch-height! height/m)
  (cond
    ({birch-h/m = height/m}
     (set! has-birch-height #t))))
(define heights (list 3 3.75 5 100))
(for-each set-true-if-birch-height! heights)
has-birch-height
```

---

#t

## 25 Get the result of applying logic to each value in lists with `map`

---

```
(define birch-h/m 3)
(define (same-height-as-birch? height/m)
  (= birch-h/m height/m))
(define heights (list 3 3.75 5 100))
(list heights
  (map same-height-as-birch?
    heights)
  (map + ;; becomes 1+3 2+2 3+1
    (list 1 2 3)
    (list 3 2 1)))
  (map list
    (list 1 2 3)
    (list 3 2 1)))
```

---

'((3 3.75 5 100) (#t #f #f #f) (4 4 4) ((1 3) (2 2) (3 1)))

When operating on multiple lists, `map` takes one argument from each list. All lists must be the same length.

*To remember:* `apply` extracts the values from its *last argument*, `map` extracts one value from *each argument* after the first.

`apply map list ...` flips rows and columns:

---

```
(apply map list
  (list (list 1 2 3)
    (list 3 2 1)))
```

---

((1 3) (2 2) (3 1))

## 26 Reuse your logic with let-recursion

Remember the `for-each` example:

---

```
#!curly-infix
(define has-birch-height #f)
(define heights (list 3 3.75 5 100))
(define (set-true-if-birch-height! height/m)
  (define birch-h/m 3)
  (cond
    ({birch-h/m = height/m}
     (set! has-birch-height #t))))
(for-each set-true-if-birch-height! heights)
has-birch-height
```

---

#t

Instead of `for-each`, we can build our own iteration:

---

```
(define heights (list 3 3.75 5 100))
(define (has-birch-height? heights)
  (define birch-h/m 3)
  (let loop ((heights heights)) ;; start with heights
    (cond
      ((null? heights) #f) ;; if heights is empty: #false
      ((= birch-h/m (car heights)) ;; car gets the first
       #t)
      (else
       ;; continue with all but the first
       (loop (cdr heights))))))
(has-birch-height? heights)
```

---

#t

`null?` asks whether the list is empty. `car` gets the first element of a list, `cdr` gets the list without its first element.

Recursion is usually easier to debug (all variable elements are available at the top of the let recursion) and often creates cleaner APIs than iteration, because fewer names are visible from outside.

As rule of thumb: start with the recursion end condition (here: `(null? heights)`) and ensure that each branch of the `cond` either ends recursion by returning something (here `#f` or `#t`) or moves a step towards finishing (usually with `cdr`, `+`, `-`, `1+`, or `1-`).

*Another example why recursion wins:*

---

```
(define (fib n)
  (let rek ((i 0) (u 1) (v 1))
    (if (>= i (- n 2))
        v
        (rek (+ i 1) v (+ u v)))))
```

---



Zen for Scheme

### A Zen for Scheme part 3: Submerged in Code

- WM** Use the Weakest Method that gets the job done,  
*but know the stronger methods to employ them as needed.*
- RW** Recursion Wins,  
*except where a loop-macro is clearer.*
- RM** Readability matters,  
*and nesting works.*

## 27 Import pre-defined named logic and values with import

---

```
(import (ice-9 pretty-print)
        (srfi :1 lists)) ;; list operations like (first)

(pretty-print
 (list 12
       (list 34)
       5 6))
(pretty-print (list
               (first (list 1 2 3)) ;; 1
               (second (list 1 2 3)) ;; 2
               (third (list 1 2 3)) ;; 3

               (member 2 (list 1 2 3)))) ;; list 2 3 => #true

```

---

```
(12 (34) 5 6)
(1 2 3 (2 3))
```

Import uses modules which can have multiple components. In the first import, `ice-9` is one component and the second is `pretty-print`. In the second, `srfi` is the first component, `:1` is the second, and `lists` is the third.

`ice-9` is the name for the core extensions of Guile. It's a play of words on `ice-nine`, a fictional perfect seed crystal.

SRFI's are Scheme Requests For Implementation, portable libraries built in collaboration between different Scheme implementations. The ones available in Guile can be found [in the Guile Reference manual](#). More can be found on [srfi.schemers.org](http://srfi.schemers.org). They are imported by number (`:1`) and can have a third component with a name, but that's not required.

You can use `only` to import only specific names.

---

```
(import (only (srfi :1) first second)) ;; no third
(first (list 1 2 3)) ;; 1
(second (list 1 2 3)) ;; 2
(third (list 1 2 3)) ;; error: third not imported
```

---

```
ice-9/boot-9.scm:1685:16: In procedure raise-exception:
Unbound variable: third
```

```
Entering a new prompt. Type `,bt' for a backtrace or
→ `,q' to continue.
scheme@(guile-user) [1]>
```

---

## 28 Optimize for performance with `,profile`

When in the interactive REPL, you can get a runtime profile; for fast operations you may need to run them in a loop to get a robust sample:


---

```
(define runs (iota 1000000)) ;; numbers from 0 to 999999
,profile (for-each number->string runs)
```

---

```
%      cumulative    self
time    seconds    seconds  procedure
100.00      0.06      0.06  number->string
  0.00      0.06      0.00  ice-9/boot-9.scm:260:2:for-each
---
Sample count: 3
Total time: 0.057737025 seconds (0.0 seconds in GC)
```

To look deeper, use `,disassemble`.  
In code files `import statprof`.



## 29 Create nameless logic with lambda

---

```
(define (is-same-height? a b)
  (> a b)) ;- this is a mistake: differs from the name
(display is-same-height?)
(newline) ; (newline) prints a linebreak
(display (is-same-height? 3 3))(newline) ;; wrong result
(define (fixed a b)
  (= a b))
(set! is-same-height? fixed)
(display is-same-height?)(newline) ;; now called "fixed"
(display (is-same-height? 3 3))(newline)
;; shorter and avoiding name pollution and confusion.
(set! is-same-height?
  (lambda (a b) ;; no name, only arguments
    (= a b)))
;; since lambda has no name, we see the original name
(display is-same-height?)(newline)
(display (is-same-height? 3 3))
```

---

```
#<procedure is-same-height? (a b)>
#f
#<procedure fixed (a b)>
#t
#<procedure is-same-height? (a b)>
#t
```

The return value of `lambda` is logic (a `procedure`).

If logic is defined via `define` (, it knows the name it has been defined as. With `lambda`, it does not know the name.

`lambda` is a special form. Think of it as

`(define (name arguments ...) ...)`, but without the name.

## 30 Extend a list with cons

*The core of composing elementwise operations.*

To build your own `map` function which returns a list of results, you need to add to a list.

---

```
(cons 1 (list 2 3))
;; => list 1 2 3
```

---

1 2 3

Used for a simplified `map` implementation that takes a single list:

---

```
(define (single-map proc elements)
  (let loop ((changed (list)) (elements elements))
    (cond
      ((null? elements) ;; empty list => done
       (reverse changed)) ;; recover order
      (else
       (loop
        ;; add processed first element to changed
        (cons (proc (car elements)) ; car gets first
              changed)
        ;; drop first element from elements
        (cdr elements))))))

(single-map even? (list 1 2 3))
;; => #f #t #f
```

---

'(#f #t #f)

Repeatedly cons'ing the first element of a list onto a second list and dropping it from the first reverses the element order. It's a core operation, because it's the most efficient operation for singly linked lists.

## 31 Mutate partially shared state with list-set!

The elements in a list are linked from its start. Different lists can share the same tail when you cons onto the same partial list.

---

```
(import (srfi :1) (ice-9 pretty-print))
(define tail ; the shared tail
  (list 3 2 1)) ; 3 2 1
(define four ; an intermediate list
  (cons 4 tail)) ; 4 3 2 1
(define five ; one more list
  (cons 5 four)) ; 5 4 3 2 1
(define fourtytwo ; branching off from tail
  (cons 42 tail)) ; 42 3 2 1
(list-set! five 1 "four") ; change shared state
(pretty-print five) ; changed directly: 5 four 3 2 1
(pretty-print four) ; touched indirectly ; four 3 2 1
(pretty-print fourtytwo) ; not affected ; 42 3 2 1
(list-set! tail 1 "two") ; mutating the shared tail
(pretty-print five) ; 5 four 3 two 1
(pretty-print four) ; four 3 two 1
(pretty-print fourtytwo) ; 42 3 two 1
(pretty-print tail) ; 3 two 1
```

---

```
(5 "four" 3 2 1)
("four" 3 2 1)
(42 3 2 1)
(5 "four" 3 "two" 1)
("four" 3 "two" 1)
(42 3 "two" 1)
(3 "two" 1)
```

Mutating shared state often causes mistakes. Use it only when needed.

## 32 Apply partial procedures with srfi :26 cut

---

```
(import (srfi :26 cut))

(define (plus-3 number)
  (+ 3 number))
(define plus-3-cut (cut + 3 <>))

(list
 (map plus-3
 (list 1 2 3)) ;; list 4 5 6

(map plus-3-cut
 (list 1 2 3)) ;; list 4 5 6

(map (cut + 3 <>)
 (list 1 2 3)) ;; list 4 5 6

(map (cut - <> 1) ;; => {<> - 1}
 (list 1 2 3)) ;; list 0 1 2

(map (cut - 1 <> ) ;; => {1 - <>}
 (list 1 2 3)) ;; list 0 -1 -2
```

---

```
((4 5 6) (4 5 6) (4 5 6) (0 1 2) (0 -1 -2))
```

cut enables more concise definition of derived logic. These specialized definitions also help to simplify and=>:

---

```
(list (and=> #f (cut + <> 3) ;; #f
          (and=> 5 (cut + <> 3)) ;; 8
```

---

*This method is known in mathematics as “currying“.*

### 33 Get and resolve names used in code with quote, eval, and module-ref

---

```
(list (quote alice)
      'bob ;; shorthand for (quote bob)
      'carol
      (quote dave))
;; => (alice bob carol dave)

(define alice "the first")

(eval 'alice (current-module))
;; => "the first"
(module-ref (current-module) 'alice)
;; => "the first"
;; module-ref is less powerful than eval. And safer.

(define code
  (quote
    (list 1 2 3)))
code
;; => (list 1 2 3)
;;   uses parentheses form
(eval code (current-module))
;; => (1 2 3)

'(1 2 3)
;; (1 2 3)
(list 1 2 3)
;; (1 2 3)

(equal? '(1 2 3)
         (list 1 2 3)) ;#true
```

---

The form `'(1 2 3)` is a shorthand to create an **immutable** ([literal](#)) list that is `equal?` to list `1 2 3`.

But some operations like `(list-set! the-list index new-value)` from `srfi :1` do not work on immutable lists.

---

```
(define mutable-list (list 1 2 3))
(display mutable-list)
(newline)
(list-set! mutable-list 1 'a) ;; zero-indexed
(display mutable-list)
```

---

```
(1 2 3)
(1 a 3)
```

---

---

```
(define immutable-list '(1 2 3))
(display immutable-list)
(list-set! immutable-list 1 'a) ;; error!
```

---

```
ice-9/boot-9.scm:1685:16: In procedure raise-exception:
In procedure set-car!: Wrong type argument in position 1
  (expecting mutable pair): (2 3)
```

```
Entering a new prompt. Type `,bt' for a backtrace or
  `,q' to continue.
scheme@(guile-user) [1]>
```

---

## 34 Use r7rs datatypes, e.g. with vector-map

R<sup>7</sup>RS is the 7th Revised Report on Scheme. Guile provides a superset of the standard: its core can be imported as `scheme base`. A foundational datatype is [Vectors](#) with  $O(1)$  random access guarantee.

---

```
(import (scheme base))
(define vec (list->vector (list 1 b "third")))
(vector-ref vec 0) ;; zero-indexed
```

---

To map over vectors, use `vector-map`:

---

```
(import (scheme base))
(define vec (list->vector (list 1 b "third")))
(vector-map (λ (element) (cons 'el element))
            vec)
```

---

Vectors have the literal form `#(a b c)`. It is an error to mutate these.

---

```
(import (scheme base))

(define mutable-vector (list->vector (list 1 b "third")))
(define literal-vector #(1 b "third"))

(vector-set! mutable-vector 1 "bee") ;; allowed
; (vector-set! literal-vector 1 "bee") ;; forbidden
(list mutable-vector literal-vector)
```

---

## 35 Name structured values with define-record-type

---

```
(import (srfi :9 records))

(define-record-type <tree>
  (make-tree type height-m weight-kg carbon-kg)
  tree?
  (type tree-type)
  (height-m tree-height)
  (weight-kg tree-weight)
  (carbon-kg tree-carbon))

(define birch-young
  (make-tree "birch" 13 90 45)) ;; 10 year, 10cm diameter,
(define birch-old
  (make-tree "birch" 30 5301 2650)) ;; 50 year, 50cm
(define birch-weights
  (map tree-weight (list birch-young birch-old)))

(list birch-young
      birch-old
      birch-weights)

```

---

```
'(#<<tree> type: "birch" height-m: 13 weight-kg: 90
  ↵ carbon-kg: 45> #<<tree> type: "birch" height-m: 30
  ↵ weight-kg: 5301 carbon-kg: 2650> (90 5301))
```

---

Carbon content in birch trees is about 46% to 50.6% of the mass. See [forestry commission technical paper 1993](#).

Height from [Waldwissen](#), weight from [BaumUndErde](#).

## 36 Create your own modules with define-module

To provide your own module, create a file named by the module name. For `(import (example trees))` the file must be `example/trees.scm`. Use `define-module` and `#:export` what others can import:

---

```
(define-module (example-scm trees)
  #:export
  (birch-young
   make-tree tree? tree-carbon))
(import (srfi :9 records)) ;; imports after define-module
(define-record-type <tree> ;; reduced record type
  (make-tree carbon-kg)
  tree?
  (carbon-kg tree-carbon))
(define birch-young
  (make-tree 45)) ;; 10 year, 10cm diameter,
```

---

To use that module, add your root folder to the search path. Then just import it. To ensure that the file is run that way, use shell-indirection:

---

```
#!/usr/bin/env bash
exec -a "${0}" guile -L "$(dirname "${0}")" "${0}" $@
;; Guile execution !#
(import (example-scm trees))
birch-young
```

---

```
$1 = #<<tree> carbon-kg: 45>
```

Made executable with `chmod +x the-file.scm`, run with `./the-file.scm`

## 37 Handle errors using with-exception-handler

---

```
;; unhandled exception stops execution
(define (add-5 input)
  (display (+ 5 input))) ;; illegal for text
;; (map add-5 '("five" 6 "seven")) ;; Wrong type argument
;; check inputs
(define (add-5-if input)
  (if (number? input)
      (display (+ 5 input))
      #f))

(map add-5-if '("five" 6 "seven"))
```

---

11

```
;; handle exceptions
(define (add-5-handler input)
  (with-exception-handler
    (λ (e) (format #t "must be number, is ~S.\n" input)
              #f) ;; this is the handler
    (λ () (display (+ 5 input))(newline)) ;; the code
    #:unwind? #t)) ;; #t: continue #f: stop

(map add-5-handler '("five" 6 "seven"))
```

---

must be number, is "five".

11

must be number, is "seven".

In Guile Scheme checking inputs is often cheaper than exception handling, but exception handling needs less information about implementation details.

Format replaces patterns (here: `~S`) in text with values (here `input`).

## 38 Debug with backtraces

To find the cause of an exception, you can use backtraces. When you see an error interactively, you can get a backtrace with `,bt`:

---

```
(define (add-5 input)
  (display (+ 5 input))) ;; illegal for text

(add-5 "six")
```

---

```
ice-9/boot-9.scm:1685:16: In procedure raise-exception:
In procedure +: Wrong type argument in position 1: "six"
```

```
Entering a new prompt. Type `,bt' for a backtrace or
→ `,q' to continue.
scheme@(guile-user) [1]>
```

---

```
,bt
```

---

```
In current input:
  2:11  1 (add-5 "six")
In ice-9/boot-9.scm:
  1683:22  0 (raise-exception _ #:continuable? _)
```

---

The error comes from the first item `(add-5 "six")`, and it is thrown in the file `ice-9/boot-9.scm` via `raise-exception`. When the error comes from a file, you also get a file name and line number for the first item. Most backtraces are longer.

The number in square brackets after the interactive error ([1]) is your depth in the debugger. You can get one level back with `,q` or `CTRL-D` (when outside the debugger, this exits from Guile).

To throw debuggable errors yourself, use `raise-exception`. Also see the chapter [Exceptions](#) in the Guile Reference Manual.

## 39 Test your code with srfi 64

Is your code correct?

---

```
(import (srfi :64 testsuite))

(define (tree-carbon weight-kg)
  (* 0.5 weight-kg))

(define (run-tests)
  (test-begin "tree-carbon")
  (test-equal 45.0
    (tree-carbon 90))
  (test-approximate 45.0
    (+ 40 (random 10.0))
    5) ;; expected error size
  (test-assert (equal? 45.0 (tree-carbon 90)))
  (test-error (throw 'wrong-value)))
  (test-end "tree-carbon"))

(run-tests)
```

---

```
%%%%% Starting test tree-carbon  (Writing full log to
→ "tree-carbon.log")
# of expected passes 4
```

---

You can use this anywhere.

For details, see [srfi 64](#).



## 40 Define derived logic structures with define-syntax-rule

In **procedures**, arguments are evaluated to their return value before the body runs. **Procedures** evaluate from **inside to outside**:

---

```
(import (ice-9 pretty-print))

(define (hello-printer . args)
  (pretty-print "Hello")
  (for-each pretty-print args))

;;           v evaluated first
(hello-printer 1 (pretty-print "second")
               3 4)
;; prints "second" "Hello" 1 3 4
```

---

```
"second"
"Hello"
1
#<unspecified>
3
4
```

The result of **pretty-print** is **#<unspecified>**

**(pretty-print "second")** is evaluated before being passed to **hello-printer**, so its result is shown first.

But for example **cond** only evaluates the required branches. It is not a **procedure**, but a **syntax-rule**.

Syntax-rules evaluate from **outside to inside**:

---

```
(import (ice-9 pretty-print))

(define-syntax-rule (early-printer args ...)
  (begin
    (pretty-print "Hello") ;< evaluated first
    (for-each pretty-print (list args ...)))

(early-printer 1 (pretty-print "second")
  3 4)
;; prints "Hello" "second" 1 3 4
```

---

```
"Hello"
"second"
1
#<unspecified>
3
4
```

Arguments of `define-syntax-rule` are only evaluated when they are passed into a regular `procedure` or returned. By calling other `syntax-rules` in `syntax-rules`, evaluation can be delayed further.

`define-syntax-rule` can reorder arguments and pass them to other `syntax-rules` and to `procedures`. It cannot ask for argument values, because it does not evaluate names as values. It operates on names and structure.

Instead of `(define (name . args) args)`, it uses a pattern:

```
(define-syntax-rule (name args ...) args ...)
```

The ellipsis `...` marks `args` as standing for zero or more names. It must be used with the ellipsis as `args ...`.

The body of `define-syntax-rule` must have only one element. The logic `begin` wraps its own body to count as only one element. It returns the value of the last element in its body.

## 41 Build value-lists with quasiquote and unquote

---

```
(define (tree-manual type height weight carbon-content)
  "Create a tree with list and cons."
  (list (cons 'type type)
        (cons 'height height)
        (cons 'weight weight)
        (cons 'carbon-content carbon-content)))
(tree-manual "birch" 13 90 45)

(define (tree-quasiquote type height weight
                           carbon-content)
  "Create a tree with raw quasiquote and unquote."
  (quasiquote
   ((type . (unquote type))
    (height . (unquote height))
    (weight . (unquote weight))
    (carbon-content . (unquote carbon-content)))))

(tree-quasiquote "birch" 13 90 45)

(define (tree-shorthand type height weight carbon-content)
  "Create a tree with quasiquote/unquote shorthands."
  `((type . ,type) ;; ` is short for (quasiquote)
    (height . ,height) ;; , is short for (unquote)
    (weight . ,weight)
    (carbon-content . ,carbon-content)))
(display (tree-shorthand "birch" 13 90 45))
```

---

```
((type . birch) (height . 13) (weight . 90)
  ↳ (carbon-content . 45))
```

---

These three methods are almost equivalent, except that quasiquoting can create an immutable list, but does not have to.

```
(define three 3)
(define mutable-list (list 1 2 3))
(list-set! mutable-list 1 'a) ;; zero-indexed
mutable-list
```

```
(1 a 3)
```

```
(define immutable-list `(1 2 3))
(list-set! immutable-list 1 'a) ;; error!
immutable-list
```

```
ice-9/boot-9.scm:1685:16: In procedure raise-exception:
In procedure set-car!: Wrong type argument in position 1
→ (expecting mutable pair): (2 3)
```

```
Entering a new prompt. Type `,bt' for a backtrace or
→ `,q' to continue.
scheme@(guile-user) [1]>
```

```
(define three 3)
(define mutable-quasiquoted `(1 2 ,three))
(list-set! mutable-quasiquoted 1 'a) ;; no error yet!
mutable-quasiquoted
```

```
(1 a 3)
```

Mutating quasiquoted lists may always throw an error in the future:

A quasiquote expression may return either newly allocated, mutable objects or literal structure for any structure that is constructed at run time . . . - [the standard](#) (r7rs)

## 42 Merge lists with append or unquote-splicing

---

```
(import (ice-9 pretty-print))

(define birch-carbon/kg '(5000 5301 5500))
(define oak-carbon/kg '(7000 7700 8000))

;; append merges lists
(pretty-print
 (append birch-carbon/kg
         oak-carbon/kg))

;; unquote-splicing splices a list into quasiquote (`)
(pretty-print
 `((unquote-splicing birch-carbon/kg)
   (unquote-splicing oak-carbon/kg)))

;; with shorthand ,@
(pretty-print
 `(,@birch-carbon/kg
   ,@oak-carbon/kg))
```

---

```
(5000 5301 5500 7000 7700 8000)
(5000 5301 5500 7000 7700 8000)
(5000 5301 5500 7000 7700 8000)
```

Unquote splicing can also insert the result of logic:

---

```
`(,@(map 1- '(1 2 3))
  (unquote-splicing (map 1+ (reverse '(1 2)))))
  ,@(list 1 0))
```

---

```
(0 1 2 3 2 1 0)
```

## 43 Document procedures with docstrings

---

```
(define (documented-proc arg)
  "Procedure is documented"
  #f) ;; doc must not be the last element
(display (procedure-documentation documented-proc))
(newline)

;; variables have no docstrings but the documentation
;; property can be set manually.
(define variable #f)
(set-object-property! variable 'documentation
  "Variable is documented")
(display (object-property variable 'documentation))
```

---

Procedure is documented  
Variable is documented

You can get the documentation with `help` or `,d` on the REPL:

```
,d documented-proc => Proc is documented
,d variable => Variable is documented
```

For generating documentation from comments, there's `guild doc-snarf`.

---

```
;; Procedure documentation can be snarfed
(define (snarfed-proc arg)
  #f)
;; Variable documentation can be snarfed
(define snarfed-variable #f)
```

---

If this is saved as `hello.scm`, get the docs via

---

```
guild doc-snarf --texinfo hello.scm
```

---

## 44 Read the docs

Now you understand the heart of code. With this as the core there is one more step, the lifeblood of programming: learning more. Sources:

- [Guile Reference manual](#)
- [Guile Library](#)
- [Scheme Requests for Implementation \(SRFI\)](#): tagged libraries
- [Scheme standards \(RnRS\)](#), specifically [r7rs-small \(pdf\)](#)
- A list of [tools and libraries](#)
- [Rosetta Code](#) with solutions to many algorithm problems

**Info manuals** can often be read online, but the `info` commandline application and `info` in Emacs (C-h i) are far more efficient and provide full-text search. You can use them to read the Guile reference manual and some libraries. Get one by installing `texinfo` or [Emacs](#).

In **interactive guile** (the REPL), you can check documentation:

---

[\(help string-append\)](#)

---

`'string-append'` is a procedure in the `(guile)` module.

- Scheme Procedure: `string-append` . `args`  
Return a newly allocated string whose characters form the concatenation of the given strings, `ARGS`.

---

[,help](#)

---

Help Commands [abbrev]:

...

*Note: the full links are printed in the list of links on page 64.*

## 45 Create a manual with texinfo

Create a doc/ folder and add a `hello.texi` file.

An **example** file can look like the following:

---

```
\input texinfo
@documentencoding UTF-8
@settitle Hello World
@c This is a comment; The Top node is the first page
@node Top

@c Show the title and clickable Chapter-names as menu
@top
@menu
 * First Steps::
 * API Reference::
 @end menu

@contents
@node First Steps
@chapter First Steps
@itemize
@item
Download from ...
@item
Install: @code{make}.
@end itemize

Example:
@lisp
(+ 1 2)
@result{} 3
@end lisp
```



```
@node API Reference
@chapter API Reference
@section Procedures
@subsection hello
Print Hello
@example
hello
@end example
@bye
```

---

Add a `Makefile` in the `doc/` folder:

---

```
all: hello.info hello.epub hello_html/index.html
hello.info: hello.texi
    makeinfo hello.texi
hello.epub: hello.texi
    makeinfo --epub hello.texi
hello_html/index.html: hello.texi
    makeinfo --html hello.texi
```

---

Run `make` in the `doc/` folder:

---

```
make
```

---

Read the docs with `calibre` or the `browser` or plain `info`:

---

```
calibre hello.epub & \
firefox hello_html/index.html & \
info -f ./hello.info
```

---

*The HTML output is plain. You can adapt it with CSS by adding `--css-include=FILENAME` or `--css-ref=URL`.*

*Alternately you can write an `Org Mode` document and evaluate (`require 'ox-texinfo`) to activate exporting to `texinfo`.*

## 46 Track changes with a version tracking system like Mercurial or Git

For convenience, first initialize a version tracking repository like [Mercurial](#) or [Git](#).

---

```
# either Mercurial
hg init hello
# or Git
git init hello
# enter the repository folder
cd hello/
```

---

Now you can add new files with

---

```
# in Mercurial
hg add FILE
# in Git
git add FILE
```

---

And take a snapshot of changes with

---

```
# in Mercurial
hg commit -m "a change description"
# in Git
git commit -a -m "a change description"
```

---

It is good practice to always use a version tracking system.

For additional information and how to compare versions, go back in time, or publish your code if you want to, see the [Mercurial Guide](#) or the [Git Tutorial](#).

## 47 Package with autoconf and automake

Create a `configure.ac` file with name, contact info and version.

---

```
dnl configure.ac
dnl Name, Version, and contact information.
AC_INIT([hello], [0.0.1], [myName@example.com])
# Set a supported Guile version as @GUILE@, then init
GUILE_PKG([3.0])
GUILE_PROGS
GUILE_SITE_DIR
AC_PREFIX_PROGRAM([guile])
AM_INIT_AUTOMAKE([gnu])
AC_CONFIG_FILES([Makefile])
AC_OUTPUT
```

---

Add a `Makefile.am` with build rules. Only the start needs to be edited:

---

```
dist_bin_SCRIPTS = hello # program name
SUFFIXES = .scm .sh
SCHEME = hello.scm # source files
hello: $(SCHEME)
    echo "#!/usr/bin/env bash" > "$@" && \
    echo 'exec -a "$$0" guile' \
        '-L "$$(dirname "$$(realpath $$0)")"' \
        '-L "$$(dirname "$$(realpath \
            $$0)"/../share/guile/site/3.0/")' \
        '-s "$$0" $$@' \
        >> "$@" && echo ";; exec done: !#" >> "$@" && \
    cat "$<" >> "$@" && chmod +x "$@"
info_TEXINFOS = doc/hello.texi
# add library files, prefix nobase_ preserves directories
nobase_site_DATA =
```

---

The rest of the Makefile.am can be copied verbatim:

---

```
## Makefile.am technical details

# where to install guile modules to import. See
# https://www.gnu.org/software/automake/manual/html\_node/Alters.html
sitedir = $(datarootdir)/guile/site/$(GUILE_EFFECTIVE_VERSION)

GOBJECTS = $(nobase_site_DATA:%.scm=%.go)
nobase_go_DATA = $(GOBJECTS)
godir=$(libdir)/guile/$(GUILE_EFFECTIVE_VERSION)/site-ccache


# Make sure that the mtime of installed compiled files
# is greater than that of installed source files. See:
# http://lists.gnu.org/archive/html/guile-devel/2010-07/msg00125.html
# The missing underscore before DATA is intentional.
guile_install_go_files = install-nobase_goDATA
$(guile_install_go_files): install-nobase_siteDATA

EXTRA_DIST = $(SCHEME) $(info_TEXINFOS) $(nobase_site_DATA)
CLEANFILES = $(GOBJECTS) $(wildcard *~) $(dist_bin_SCRIPTS)
DISTCLEANFILES = $(nobase_site_DATA)

# precompile all source files
.scm.go:
    $(GUILE_TOOLS) compile $(GUILE_WARNINGS) \
        -o "$@" "$<"
```

---

Autoconf and automake are easy to use for distros.



This assumes that the folder `hello` uses a *Version tracking system*.

---

```
## Makefile.am basic additional files
.SECONDARY: ChangeLog AUTHORS
ChangeLog: ## create the ChangeLog from the history
    echo "For user-visible changes, see the NEWS file" > "$@"
    echo >> "$@"
    if test -d ".hg"; \
        then hg -R "$(dirname "$(realpath .hg)")" \
            log --style changelog \
            >> "$@"; fi
    if test -d ".git"; \
        then cd "$(dirname "$(realpath .git)")" \
            && git log --date-order --date=short \
            | sed -e '/^commit.*$/d' \
            | awk '/^Author/ {sub(/\$/,""); getline t; print $0
        & t; next}; 1' \
            | sed -e 's/^Author: //g' \
            | sed -e \
                's/^(.*>Date: \(([0-9]*-[0-9]*-[0-9]*\))/\2
                & \1>/g' \
            | sed -e 's/^(\(\)) \(\)\t(\(\))/\3 \1 \2/g' \
            >> "$@"; cd -; fi
AUTHORS: ## create the AUTHORS file from the history
    touch "$@"
    if test -d ".hg"; \
        then hg -R "$(dirname "$(realpath .hg)")" \
            --config extensions.churn= \
            churn -t "{author}" >> "$@"; fi
    if test -d ".git"; \
        then cd "$(dirname "$(realpath .git)")" \
            && git log --format='%aN' \
            | sort -u >> "$@"; cd -; fi
```

---

Now create a `README` and a `NEWS` file:

---

```
#+title: Hello
```

A simple example project.

- \* Requirements

- Guile version 3.0.10 or later.

- \* Build the project

```
#+begin_src bash
```

```
autoreconf -i && ./configure && make
```

```
#+end_src
```

- \* Create a distribution tarball

```
#+begin_src bash
```

```
autoreconf -i && ./configure && make dist
```

```
#+end_src
```

- \* License

GPLv3 or later.

---

---

hello 0.0.1

---

- initialized the project

---

And for the sake of this example, a simple `hello.scm` file:

---

```
(display "Hello World!\n")
```

---

## 47.1 Init a project with hall

To simplify the setup, start it by getting the tool `guile-hall` (named Hall) as described in the manual under [Distributing Guile Code](#). Then create a new project:

---

```
hall init hello -a "My Name" \
                 -e "myName@example.com" \
                 --execute
cd hello && hall build --execute
```

---

*Add `--license` to change the license; GPLv3 or later is the default.*

Hall creates a `configure.ac` file with name, contact information and version, and a `Makefile.am` with build rules. It also automatically adds `TEXINFO`-rules for the folder `doc/`.

## 48 Deploy a project to users

Enable people to access your project as a webserver behind nginx, as clientside browser-app, or as Linux package (Guix tarball).

**Browser: as webserver.** *On the web no one knows you're a Scheme.*

Guile provides a [webserver](#) module. A minimal webserver:

---

```
(import (web server)
        (web request)
        (web response)
        (web uri))

(define (handler request body)
  (define path (uri-path (request-uri request)))
  (values (build-response
            #:headers `((content-type . (text/plain)))
            #:code 404)
          (string-append "404 not found: " path)))
(define v4 #t)
;; choose either IPv4 or IPv6; to support both, run twice.
(run-server handler 'http
  (if v4 '(:port 8081)
      '(:family AF_INET6 #:port 8081)))
```

---

An [nginx](#) SSL Terminator (`/etc/nginx/sites-enabled/default`):

---

```
server {
  server_name domain.example.com;
  location / {
    proxy_pass http://localhost:8081;
  }
}
```

---

Set up SSL support with [certbot](#) (this edits the config file).

**Browser again: clientside wasm.** To run clientside, you can package your project with [Hoot](#): build an interface and compile to wasm:

---

```
;; file: hoot.scm
(use-modules (hoot ffi)) ;; hoot-specific import

;; the interface
(define-foreign document-body "document" "body"
  -> (ref null extern))
(define-foreign make-text-node "document" "createTextNode"
  (ref string) -> (ref null extern))
(define-foreign append-child! "element" "appendChild"
  (ref null extern) (ref null extern)
  -> (ref null extern))

;; core code
(append-child! (document-body) ;; Your logic
  (make-text-node "Hello, world!"))
```

---

Transpile with `guild compile-wasm`. If you run Guix:

---

```
guix shell guile-hoot guile-next -- \
  guild compile-wasm -o hoot.wasm hoot.scm
```

---

Get reflection tools from Guile Hoot (licensed Apache 2.0) with Guix:

---

```
guix shell guile-hoot guile-next -- bash -c \
  'cp $GUIX_ENVIRONMENT/share/guile-hoot/*/reflect*/{*.js, \
  ↳ *.wasm} ./'
```

---

Load your interface:

---

```
/* file: hoot.js */
window.addEventListener("load", () =>
  Scheme.load_main("./hoot.wasm", {
    user_imports: { /* the interface from Javascript */
      document: {
        body() { return document.body; },
        createTextNode: Document.prototype
          .createTextNode.bind(document)
      }, element: {
        appendChild(parent, child) {
          return parent.appendChild(child);}}}}));
```

---

Include `reflect.js` and `hoot.js` from a HTML page:

---

```
<!DOCTYPE html> <!-- file: hoot.html -->
<html><head><title>Hello Hoot</title>
<script type="text/javascript" src="reflect.js"></script>
<script type="text/javascript" src="hoot.js"></script>
</head><body><h1>Hoot Test</h1></body></html>
```

---

For local testing, hoot provides a minimal webserver:

---

```
guix shell guile-hoot guile-next -- \
  guile -c '((@ (hoot web-server) serve))'
```

---



**Linux: Guix tarball.** *The package is the tarball.* — Ludovic  
Guix can assemble a tarball of all dependencies. Add a `guix.scm`:

---

```
(import (gnu packages web) (gnu packages base) (gnu packages bash)
       (gnu packages guile) (gnu packages guile-xyz)
       (gnu packages pkg-config) (guix packages) (guix gexp)
       (guix build-system gnu) (guix build-system guile)
       (prefix (guix licenses) license:))

(define-public guile-doctests
  (package
    (name "guile-doctests") (version "0.0.1")
    (source (local-file "." "" #:recursive? #t))
    (build-system gnu-build-system) ;; uses autoconf and automake
    (arguments
      (list
        #:modules `((guix build guile-build-system)
                    ,@%default-gnu-imported-modules)
        #:phases
        (with-imported-modules `((guix build guile-build-system)
                                ,@%default-gnu-imported-modules)
          #~(modify-phases %standard-phases
              (add-after 'install 'wrap
                (lambda* (#:key inputs outputs #:allow-other-keys)
                  (let ((out (assoc-ref outputs "out"))
                        (effective-version (target-guile-effective-version)))
                    (wrap-program (string-append out "/bin/doctest")
                      `("PATH" ":" prefix
                        ,(map (lambda (x) (dirname (search-input-file inputs x)))
                              (list "/bin/guile" "/bin/bash"))))
                    `("GUILE_LOAD_PATH" prefix
                      ,(string-append out "/share/guile/site/"
                                      effective-version)
                      ,(getenv "GUILE_LOAD_PATH")))
                    `("GUILE_LOAD_COMPILED_PATH" prefix
                      ,(string-append out "/lib/guile/"
                                      effective-version "/site-ccache")
                      ,(getenv "GUILE_LOAD_COMPILED_PATH")))))))))
    (propagated-inputs `(("guile" ,guile-3.0)
                        ("pkg-config" ,pkg-config)
                        ("bash" ,bash)
                        ("guile-wisp" ,guile-wisp)
                        ("coreutils" ,coreutils)))
    (home-page "https://hg.sr.ht/~arnebab/guile-doctests")
    (synopsis "Tests in procedure definitions")
    (description "Guile module to keep tests in your procedure definition.")
    (license license:gpl3+)))

guile-doctests
```

---

First test building `guix build -f guix.scm`, then test running with `guix shell --pure -f guix.scm` and once both work, create your package with:

---

```
guix pack -e '(load "guix.scm")' \
  -RR -S /bin=bin -S /share=share
```

---

Copy the generated tarball. It can be executed with:

---

```
mkdir hello && cd hello && tar xf TARBALL_FILE && \
  ./bin/doctest
```

---

Since this tarball generation is a bit finicky, there is a [guile-doctests](#) package with a working example setup.

Once you have `guix pack` working, you can also create `dockerfiles` and other packages to deploy into various publishing infrastructures.

*To be continued: Scheme is in constant development and deploying Guile programs is getting easier. Lilypond solved Windows.*

*Also see the [Map of R7RS](#) and the [Scheme primer](#) to keep learning.*


You are ready.

Go and build a project you care about.

# List of Links

|   |    |
|---|----|
| draketo.de: <a href="https://www.draketo.de">https://www.draketo.de</a> . . . . .   | 1  |
| Guile: <a href="https://www.gnu.org/software/guile">https://www.gnu.org/software/guile</a> . . . . .  | 1  |
| Attribution - Sharealike: <a href="https://creativecommons.org/licenses/by-sa/4.0/">https://creativecommons.org/licenses/by-sa/4.0/</a> . . . . .   | 5  |
| Real and Rational Numbers: <a href="https://www.gnu.org/software/guile/manual/html_node/Reals-and-Rationals.html">https://www.gnu.org/software/guile/manual/html_node/Reals-and-Rationals.html</a> . . . . .  | 20 |
| r5rs numbers: <a href="https://groups.csail.mit.edu/mac/ftpdir/scheme-reports/r5rs-html/r5rs_8.html#SEC50">https://groups.csail.mit.edu/mac/ftpdir/scheme-reports/r5rs-html/r5rs_8.html#SEC50</a> . . . . .   | 20 |
| IEEE 754: <a href="https://ieeexplore.ieee.org/document/8766229">https://ieeexplore.ieee.org/document/8766229</a> . . . . .   | 20 |
| recursion wins: <a href="http://www.draketo.de/light/english/recursion-wins">http://www.draketo.de/light/english/recursion-wins</a> . . . . .   | 29 |
| ice-nine: <a href="https://en.wikipedia.org/wiki/Ice-nine?oldid=1204900352">https://en.wikipedia.org/wiki/Ice-nine?oldid=1204900352</a> . . . . .   | 30 |
| in the Guile Reference manual: <a href="https://www.gnu.org/software/guile/manual/html_node/SRFI-Support.html">https://www.gnu.org/software/guile/manual/html_node/SRFI-Support.html</a> . . . . .  | 30 |
| srfi.schemers.org: <a href="https://srfi.schemers.org/">https://srfi.schemers.org/</a> . . . . .  | 30 |
| literal: <a href="https://standards.scheme.org/corrected-r7rs/r7rs-Z-H-6.html">https://standards.scheme.org/corrected-r7rs/r7rs-Z-H-6.html</a> . . . . .  | 37 |
| Revised Report on Scheme: <a href="https://standards.scheme.org/">https://standards.scheme.org/</a> . . . . .   | 38 |
| Vectors: <a href="https://standards.scheme.org/corrected-r7rs/r7rs-Z-H-8.html#TAG:_tex2page_sec_6.8">https://standards.scheme.org/corrected-r7rs/r7rs-Z-H-8.html#TAG:_tex2page_sec_6.8</a> . . . . .  | 38 |
| forestry commission technical paper 1993: <a href="https://cdn.forestresearch.gov.uk/1993/09/ftp004.pdf">https://cdn.forestresearch.gov.uk/1993/09/ftp004.pdf</a> . . . . .   | 39 |
| Waldwissen: <a href="https://www.waldwissen.net/de/lebensraum-wald/baeume-und-waldbpflanzen/laubbaeume/birke-eine-baumart-mit-potenzial">https://www.waldwissen.net/de/lebensraum-wald/baeume-und-waldbpflanzen/laubbaeume/birke-eine-baumart-mit-potenzial</a> . . . . . | 39 |
| BaumUndErde: <a href="https://www.baumunderde.de/stammgewicht-rechner/">https://www.baumunderde.de/stammgewicht-rechner/</a> . . . . .  | 39 |
| Exceptions: <a href="https://www.gnu.org/software/guile/manual/html_node/Exceptions.html">https://www.gnu.org/software/guile/manual/html_node/Exceptions.html</a> . . . . .   | 42 |
| srfi 64: <a href="https://srfi.schemers.org/srfi-64/srfi-64.html">https://srfi.schemers.org/srfi-64/srfi-64.html</a> . . . . .  | 43 |
| the standard: <a href="https://standards.scheme.org/corrected-r7rs/r7rs-Z-H-6.html#TAG:_tex2page_sec_4.2.8">https://standards.scheme.org/corrected-r7rs/r7rs-Z-H-6.html#TAG:_tex2page_sec_4.2.8</a> . . . . .   | 47 |
| Guile Reference manual: <a href="https://www.gnu.org/s/guile/manual/guile.html">https://www.gnu.org/s/guile/manual/guile.html</a> . . . . .   | 50 |
| Guile Library: <a href="https://www.nongnu.org/guile-lib/doc/">https://www.nongnu.org/guile-lib/doc/</a> . . . . .  | 50 |
| Scheme Requests for Implementation (SRFI): <a href="https://srfi.schemers.org/">https://srfi.schemers.org/</a> . . . . .  | 50 |
| Scheme standards (RnRS): <a href="https://standards.scheme.org/">https://standards.scheme.org/</a> . . . . .  | 50 |
| r7rs-small: <a href="https://standards.scheme.org/corrected-r7rs/r7rs.html">https://standards.scheme.org/corrected-r7rs/r7rs.html</a> . . . . .   | 50 |
| pdf: <a href="https://standards.scheme.org/unofficial/errata-corrected-r7rs.pdf">https://standards.scheme.org/unofficial/errata-corrected-r7rs.pdf</a> . . . . .  | 50 |
| tools and libraries: <a href="https://www.gnu.org/software/guile/libraries/">https://www.gnu.org/software/guile/libraries/</a> . . . . .  | 50 |
| Rosetta Code: <a href="https://rosettacode.org/wiki/Category:Scheme">https://rosettacode.org/wiki/Category:Scheme</a> . . . . .   | 50 |
| texinfo: <a href="https://www.gnu.org/software/texinfo/">https://www.gnu.org/software/texinfo/</a> . . . . .  | 50 |
| Emacs: <a href="https://gnu.org/software/emacs">https://gnu.org/software/emacs</a> . . . . .  | 50 |
| Org Mode: <a href="https://orgmode.org">https://orgmode.org</a> . . . . .   | 52 |
| Mercurial: <a href="https://mercurial-scm.org">https://mercurial-scm.org</a> . . . . .  | 53 |
| Git: <a href="https://git-scm.org">https://git-scm.org</a> . . . . .  | 53 |
| Mercurial Guide: <a href="https://mercurial-scm.org/guide">https://mercurial-scm.org/guide</a> . . . . .  | 53 |
| Git Tutorial: <a href="https://git-scm.com/docs/gittutorial">https://git-scm.com/docs/gittutorial</a> . . . . .   | 53 |
| guile-hall: <a href="https://gitlab.com/a-sassmannshausen/guile-hall">https://gitlab.com/a-sassmannshausen/guile-hall</a> . . . . .   | 58 |
| Distributing Guile Code: <a href="https://www.gnu.org/software/guile/manual/html_node/Distributing-Guile-Code.html">https://www.gnu.org/software/guile/manual/html_node/Distributing-Guile-Code.html</a> . . . . .  | 58 |
| webserver: <a href="https://www.gnu.org/s/guile/manual/guile.html#Web-Server">https://www.gnu.org/s/guile/manual/guile.html#Web-Server</a> . . . . .  | 59 |
| nginx: <a href="https://nginx.org/">https://nginx.org/</a> . . . . .  | 59 |
| certbot: <a href="https://certbot.eff.org/instructions?ws=nginx&amp;os=pipe">https://certbot.eff.org/instructions?ws=nginx&amp;os=pipe</a> . . . . .  | 59 |
| Hoot: <a href="https://spritely.institute/hoot/">https://spritely.institute/hoot/</a> . . . . .   | 60 |
| guile-doctests: <a href="https://hg.sr.ht/~arnebab/guile-doctests">https://hg.sr.ht/~arnebab/guile-doctests</a> . . . . .   | 63 |
| Map of R <sup>7</sup> RS: <a href="https://misc.lassi.io/2022/map-of-r7rs-small.html">https://misc.lassi.io/2022/map-of-r7rs-small.html</a> . . . . .   | 63 |
| Scheme primer: <a href="https://spritely.institute/static/papers/scheme-primer.html">https://spritely.institute/static/papers/scheme-primer.html</a> . . . . .  | 63 |
| draketo.de/software/programming-scheme: <a href="https://www.draketo.de/software/programming-scheme">https://www.draketo.de/software/programming-scheme</a> . . . . .   | 64 |

# FREE DIGITAL VERSION OF



---

## Naming and Logic programming essentials with Scheme

---

IF YOU ENJOY THIS BOOK,  
PLEASE BUY THE PRINT FROM

**DRAKETO.DE/SOFTWARE/PROGRAMMING-SCHEME**

BUY FREE LICENSED CREATIONS,  
SO I CAN CREATE MORE.



Get the **gist of Lisp** in practical steps.

This book guides you into **the heart of programming** with Scheme, to give you a smooth start into one of the oldest standardized and thriving languages.

We are the namegivers,  
the dreamers who build tools of sand and logic  
to **surpass the limits of our minds**.

Choose your path  
through **a map of building blocks**  
to take on challenges by code.

From your first `define`  
to deploying your application.

